

ROD EXTRACTION

manual & hydraulic

Rod pullers, clamps & accessories



HYDRAULIC ROD EXTRACTION / PETROL

ZGM - 09B ECO / 09 TONS LIFTING FORCE	03
ZGS - 14B / 14 TONS LIFTING FORCE	04
ZGS - 19B / 19 TONS LIFTING FORCE	05

HYDRAULIC ROD EXTRACTION / ELECTRIC

ZGM - 09E ECO / 09 TONS LIFTING FORCE	06
ZGS - 14E / 14 TONS LIFTING FORCE	07
ZGS - 19E / 18 TONS LIFTING FORCE	08

MANUAL ROD EXTRACTION

MANUAL ROD PULLER WITH GROUND PLATE / 01 TONS LIFTING FORCE	09
ONE BAR ROD PULLER / 02 TONS LIFTING FORCE	09
TWO BARS MANUAL ROD PULLER / 06 TONS LIFTING FORCE	09

CLAMPS

TAPERED WEDGE CLAMPS	10
BALL CLAMPS	11
WHEEL CLAMPS	12

HYDRAULIC ROD EXTRACTION / PETROL

ZGM - 09B ECO

Article number: 106769

- Lifting unit HE 43 with 9 tons lifting force
- Pulling speed 1.1 m/min
- Automatic pulling
- Honda GX 120 with single pump

TECHNICAL SPECIFICATIONS

Lifting force:	90	kN
Number of cylinders:	3	pieces
Lifting height:	150	mm
Speed:	1.1	m/min
Passage:	90	mm
Weight lifting unit:	24	kg
Weight aggregate:	31	kg
Pump capacity:	6	l/min



ACCESSORIES

- All-terrain trolley, modular (article number: 105909)
- PE plate (article number: 105410)

HYDRAULIC ROD EXTRACTION / PETROL

ZGS - 14B

Article number: 107069

- Lifting unit HE 60 with 14 tons lifting force
- Pulling speed 1.9 m/min
- Automatic pulling
- Honda GX 200 with double pump

TECHNICAL SPECIFICATIONS

Lifting force:	140	kN
Number of cylinders:	2	pieces
Lifting height:	150	mm
Speed:	1.9	m/min
Passage:	90	mm
Weight lifting unit:	26	kg
Weight aggregate:	48	kg
Pump capacity (until 80 bar):	15	l/min
Pump capacity (from 80 bar):	3	l/min



ACCESSORIES

- All-terrain trolley, modular (article number: 105909)
- PE plate (article number: 105410)
- Rod catcher (article number: 101906)
- Concave bottom plate (article number: 101182)

HYDRAULIC ROD EXTRACTION / PETROL

ZGS - 19B

Article number: 107111

- Lifting unit HE 70 with 19 tons lifting force
- Pulling speed 1.4 m/min
- Automatic pulling
- Honda GX 200 with double pump

TECHNICAL SPECIFICATIONS

Lifting force:	190	kN
Number of cylinders:	2	pieces
Lifting height:	150	mm
Speed:	1.4	m/min
Passage:	90	mm
Weight lifting unit:	29	kg
Weight aggregate:	48	kg
Pump capacity (until 80 bar):	15	l/min
Pump capacity (from 80 bar):	3	l/min



ACCESSORIES

- All-terrain trolley, modular (article number: 105909)
- PE plate (article number: 105410)
- Rod catcher (article number: 101906)
- Concave bottom plate (article number: 101182)

HYDRAULIC ROD EXTRACTION / ELECTRIC


ZGM - 09E ECO

Article number: 106897

- Lifting unit HE 43 with 9 tons lifting force
- Pulling speed 0.8 m/min
- Automatic pulling
- Electric motor (1.5 kW) with single pump

TECHNICAL SPECIFICATIONS

Lifting force:	90 kN
Number of cylinders:	3 pieces
Lifting height:	150 mm
Speed:	0.8 m/min
Passage:	90 mm
Weight lifting unit:	24 kg
Weight aggregate:	30 kg
Pump capacity:	3.5 l/min



ACCESSORIES

- All-terrain trolley, modular (article number: 105909)
- PE plate (article number: 105410)

HYDRAULIC ROD EXTRACTION / ELECTRIC

ZGS - 14E

Article number: 106768

- Lifting unit HE 60 with 14 tons lifting force
- Pulling speed 1.0 m/min
- Automatic pulling
- Electric motor (1.5 kW) with double pump

TECHNICAL SPECIFICATIONS

Lifting force:	140	kN
Number of cylinders:	2	pieces
Lifting height:	150	mm
Speed:	1.0	m/min
Passage:	90	mm
Weight lifting unit:	26	kg
Weight aggregate:	40	kg
Pump capacity (until 65 bar):	10	l/min
Pump capacity (from 65 bar):	3	l/min



ACCESSORIES

- All-terrain trolley, modular (article number: 105909)
- PE plate (article number: 105410)
- Rod catcher (article number: 101906)
- Concave bottom plate (article number: 101182)

HYDRAULIC ROD EXTRACTION / ELECTRIC

ZGS - 19E

Article number: 106997

- Lifting unit HE 70 with 19 tons lifting force
- Pulling speed 0.7 m/min
- Automatic pulling
- Electric motor (1.5 kW) with double pump

TECHNICAL SPECIFICATIONS

Lifting force:	190	kN
Number of cylinders:	2	pieces
Lifting height:	150	mm
Speed:	0.7	m/min
Passage:	90	mm
Weight lifting unit:	29	kg
Weight aggregate:	40	kg
Pump capacity (until 65 bar):	10	l/min
Pump capacity (from 65 bar):	3	l/min



ACCESSORIES

- All-terrain trolley, modular (article number: 105909)
- PE plate (article number: 105410)
- Rod catcher (article number: 101906)
- Concave bottom plate (article number: 101182)

MANUAL ROD EXTRACTION

MANUAL ROD PULLER WITH GROUND PLATE

Article number: 610305

- Lifting force 1.0 ton
- Complete with lever and frog clamp
- Passage 10 mm – 25 mm



ONE BAR MANUAL ROD PULLER

Article number: 332005 + 1x 33202 (lever)

- Lifting force 2.0 tons
- Passage 55 mm



TWO BARS MANUAL ROD PULLER

Article number: 332005 + 2x 33202 (lever)

- Lifting force 6.0 tons
- Passage 85 mm



CLAMPS

TAPERED WEDGE CLAMPS

DIAMETER 22 – 88 mm

Tapered wedge for housing 22 – 90 mm	333014
Tapered wedge clamp 22 – 25 mm	333017
Tapered wedge clamp 32 – 36 mm	333018
Tapered wedge clamp 36 – 46 mm	333021
Tapered wedge clamp 50 – 54 mm	333022
Tapered wedge clamp 55 – 56 mm	333023
Tapered wedge clamp 60 – 64 mm	333024
Tapered wedge clamp 69 – 78 mm	333025
Tapered wedge clamp 78 – 88 mm	333028



CLAMPS

BALL CLAMPS

Ball clamp 22 – 36 mm	333001
Ball clamp 36 – 50 mm	333002
Ball clamp 40 – 54 mm	333036
Ball clamp 59 – 64 mm	333003
Ball clamp 65 – 78 mm	333011
Ball clamp 80 – 90 mm	333005
Ball clamp 90 – 95 mm	333015
Ball clamp 95 – 108 mm	333006
Ball clamp 105 – 115 mm	333008
Ball clamp 109 – 125 mm	333009
Ball clamp 115 – 130 mm	311730
Ball clamp 125 – 130 mm	333010



CLAMPS

WHEEL CLAMPS

Wheel clamp 22 – 65 mm

333038

Wheel clamp 22 – 82 mm

333017



Nordmeyer GEOTOOL GmbH
Weststraße 6
16356 Werneuchen (Berlin area)
GERMANY

Tel: +49 (0) 33398 9142-0
Email: info@nordmeyer-geotool.de